



GALVANISED STEEL PRODUCTS CATALOGUE

Full-cycle production, metal processing
and supply for businesses.

2026



QUALITY
CONTROL



FULL-CYCLE
PRODUCTION



RELIABLE
SUPPLY

About Loveks-K

Loveks-K is a Ukrainian manufacturer of galvanised steel products, offering full-cycle in-house metal processing.

We process steel coils to produce profiles, slit strips and other components for the construction and industrial sectors.

Our in-house production facilities and metal service centres enable us to control quality at every stage, ensuring a reliable, consistent supply for our partners.

Key figures:

20+

Years on the market

11,000 m²

Of production area

4

Metal service centres

40,000+

Tonnes processed annually



Production & Capabilities

We offer full-cycle galvanised steel processing — from steel coils to finished products.

Our production facilities support slitting, cut-to-length processing, roll forming and manufacturing to client drawings and technical specifications. Quality control is carried out at every production stage.



Slitting



Cut-to-length



Roll forming



Custom manufacturing




Quality control



Full-cycle galvanised steel processing

Galvanised Steel

Galvanised steel for construction, manufacturing, and engineering systems. Supply of coils, sheets, and slit strips with custom cutting to your specifications.



Technical specifications:



Steel grades:

DX51D
S350GD



Thickness:

0.5–3.0 mm



Zinc coating:

Zn100 g/m²
Zn140 g/m²
Zn275 g/m²



Standard:

DSTU EN 10346:2014
(EN 10346)



Formats:

Coils
Sheets
Slit strips



Steel coil



Sheets / Slit strips

Cold-Formed Profiles



Cold-formed galvanised steel profiles for construction, engineering and industrial applications.



Steel grades:
DX51D, S350GD



Zinc coating:
Zn100–Zn275 g/m²




L-SHAPED PROFILES

Base 15–100 mm
Flange 15–100 mm
Thickness from 0.9 mm




C-SHAPED PROFILES

Base 20–150 mm
Flange 20–90 mm
Thickness from 0.9 mm



OMEGA PROFILES

Overall width up to 140 mm
Thickness 0.9–2.0 mm



U-SHAPED PROFILES

Base 17–156 mm
Flange 10–90 mm
Thickness from 0.9 mm

Galvanised STRUT profile from the manufacturer. Direct supply from our production facilities for solar and engineering systems.

 Dimensions:

- 41 × 21 mm
- 41 × 41 mm
- 41 × 62 mm



Dimensions:

41 × 21 mm
41 × 41 mm
41 × 62 mm



Thickness:

1.5–2.0 mm



Length:

3 m / 6 m



Material:

DX51D



Coating:

Zn275



End clamps





Mid clamps





Hanger bolts

$$41 \times 21 \times 1,5$$

$$41 \times 62 \times 2$$


41 × 41 × 1.5



35 × 25 × 1.5



PVC REINFORCEMENT PROFILES


Cold-formed galvanised steel reinforcement profiles for PVC window, door and partition systems. Manufactured to client drawings with precise geometry and consistent quality.



Technical specifications:


	Steel grade:	DX51D
	Thickness:	0.5–2.0 mm
	Standard length:	Up to 6 m
	Manufacturing:	Cold roll forming

Compatible PVC systems:




PERFORATED MOUNTING PROFILES

Cold-formed galvanised mounting profiles manufactured in-house for support structures, HVAC systems, cable trays and engineering applications.




T18




27 × 18 mm / 1.0 mm

T20




30 × 20 mm / 1.2 mm

T30



30 × 30 mm / 1.4–1.8 mm

T41



41 × 41 mm / 1.5–2.0 mm

Technical specifications:



Steel grades: DX51D



Standard length: 2.5 m



Custom lengths: 2–6 m



Coating: Galvanised steel (Zn275)

VENTILATION COMPONENTS

Ventilation Flange Profiles

Galvanised flange profiles for the production and installation of air ducts and ventilation systems.



FLANGE PROFILE 20

20 mm · 0.5-0.65 mm · 2.5 m



FLANGE PROFILE 30

30 mm · 0.6-0.7 mm · 2.5 m

Technical specifications:



Steel grade: DX51D / AISI 430 / AISI 304



Coating: Zn140 g/m²

Other Ventilation Components



Flanges




Flange corners



Perforated mounting tape

WELDED STEEL PIPES

Round and rectangular welded steel pipes for construction, engineering and industrial applications.



Technical specifications:



Types: Round and rectangular welded steel pipes



Steel: DX51D / DC01



Wall thickness: 0.7–2.0 mm



Lengths: 5–12 m



Processing: Custom cutting and marking



Round diameters: Ø27–Ø57 mm





Rectangular sizes: 16×16–60×60 mm

ROUND WELDED STEEL PIPES




Ø 27 mm Ø 32 mm Ø 42 mm Ø 57 mm

RECTANGULAR WELDED STEEL PIPES




16×16 20×20 40×40 60×60



EXPANDED METAL MESH (PVS)

Expanded metal mesh with a diamond pattern for facades, fencing, ventilation and architectural applications. Manufactured from galvanised or cold-rolled steel, with production available to custom dimensions.

Available mesh sizes:



Technical specifications:



Materials: DX51D / DC01



Thickness: 0.45–0.7 mm




Width: 500 / 1000 / 1250 mm




Length: 850–10,000 mm



3.5×13.5 mm



10×25 mm




15×30 mm



17×40 mm




25×60 mm



45×90 mm



Shipments are carried out from our warehouses in Kyiv, Lviv, Odesa and Ternopil.



Self-pickup



Delivery across Ukraine



Export to Europe



Flexible shipping options



Trusted logistics partners



We organise delivery across Ukraine and to European countries. We work with trusted logistics partners and select the optimal solution for each order.

+38 (044) 502 25 92

loveks-k.com.ua



info1@loveks.net

office@loveks-k.com.ua



REQUEST
A QUOTE



Production & warehouses:
Prolisky, Kyiv region · Lviv · Odesa · Ternopil